

# ZK2500- FAST RECOVERY DIODE

1000-1800V<sub>RRM</sub>


\*\*\*\*\*


## FAST RECOVERY RECTIFIER DIODE

### Features:

- . All diffused structure
- . High sur

D13C







V@^ à~[! {æcá[] ]|^•^}c^â à} c@â• â{&~ {^}c â• ~[! |^~^|^}&^ []|^É ÿæ}\* :@ [ ~ ÿæ} \*bâ^ Ò|^&c![] }â&  
 V^&@} [[|^ \*^ Ô[ÉÉ ŠcâÉ |^•^|^ç^• c@^ |â\* @c c [ {æ\^ &@æ} \*^• ,âc@ [ ~c } [câ&^ ~[! c@^ •]^&â-â&æcá[] [-  
 c@^ ]|^ [â~&c• ââ•]|æ^â @^|^â} c [ â { ]|^ [ç^ |^|æàà|âc^É ~ }&câ[]É [! â^•â\*} [! [c@^|^ , â•^É

V@^ ]|^ [â~&c |â•c^â @^|^â} â• â^•â\*}^â c [ à^ ~•^â ,âc@ [!ââ}æ|^ |^&c![] }â& ^~â [ ^}c [! â^çâ&^•É  
 æ}â } [c â^•â\*}^â c [ à^ ~•^â ,âc@ ^~â] {^}c [! â^çâ&^• ,â&@ |^~â|^ @â\* @|^ç|^ [~ |^|æàà|âc^  
 æ}â c@^ {æ~ }&câ[] [- ,âc@ , [ ~|^â ââ|^&c|^ ^}âæ} \*^|^ @~ {æ} |â~ ç•~&@ æ• {^ââ&æ| â}•c|^ {^}c•É  
 c!æ}• [!cæcá[] ^~â [ ^}cÉ æ|^ [•]æ&^ {æ&@â}^|^É }~&|^æ|^É|^æ&c [! & [ ]c! [|^|^É ~|^ | & [ ]c! [|^|^•  
 æ}â [c@^|^ •æ~^c^ â^çâ&^•É ÿæ} \*bâ^ [! æ}^ [ ]^ [ ] âc• à^@æ|^É æ•• {^• } [ |^• ] [ ] •âà|âc^ [! |æàà|âc^  
 ~[! æ}^ âæ {æ\*^• |^•~|câ} \* ~[! { •~&@ â { ]|^ [ ]|^|^ ~•^ [ ~ •æ|^É

V@â• ]~à|â&æcá[] •~|^|^ââ• B |^|æ&^• æ|| â}~[! {æcá[] ]|^çâ [ ~|^ •~ ]|^ââÉ Ø [! æââcá[] }æ|  
 â}~[! {æcá[] }É ]|^æ•^ çââc [ ~|^ ,^ââc^ @cc]KDD , , ,ÉGF^æ} \*bâ^É& [ { É [! & [ ]•~|c ^ [ ~|^ ]|^æ|^c  
 ÿæ} \*bâ^q• •æ|^• øÉ \_É

